

United States Department of Agriculture Animal and Plant Health Inspection Service Plant Protection & Quarantine 4700 River Road Riverdale, MD 20737

Permit to Move Live Plant Pests, Noxious Weeds, and Soil

Interstate Movement

Regulated by 7 CFR 330

This permit was generated electronically via the ePermits system

PERMITTEE NAME: Mr. Patrick Schlemmer **ORGANIZATION:** San Francisco Zoo ADDRESS: 1 Zoo Road

San Francisco, CA 94132

1 Zoo Road

San Francisco, CA 94132 415-753-7146 x7053 (415) 710-2907

ALT. PHONE: EMAIL: patricks@sfzoo.org FAX: 415-753-8136

MAILING ADDRESS:

PHONE:

PERMIT NUMBER: APPLICATION NUMBER: P526-200804-060

08/20/2020 **DATE ISSUED:** 08/20/2023 **EXPIRES:**

FACILITY NUMBER: 286 HAND CARRY: Yes

FACILITY ACCOUNT: San Francisco Zoological

Gardens

RESEARCH CENTER:

Insect Zoo **FACILITY NAME: FACILITY ADDRESS:** 1 Zoo Road

San Francisco, California

94132

FACILITY GPS: Latitude 37.7

Longitude -122.5

P526P-20-03529

Insect Zoo, San Francisco **MAIL ADDRESS:**

Zoological Garden

Patrick Shlemmer

(415)753-7053

1 Zoo Road

San Francisco, California

94132

FACILITY CONTACT:

PHONE: **ALT. PHONE:**

FAX: (415)824-6526

EMAIL:

DESTINATION: San Francisco Zoo, 1 Zoo Road, San Francisco, CA 94132

RELEASE: No

| Under the conditions specified, this permit authorizes the following: | | | | |
|---|---|---|--|--|
| Life Stage(s) | Intended Use Shipment | Originally Collected | Culture | |
| | Origins | | Designation | |
| Adult, Egg, | Educational Use Continental | Originally Collected from Within | | |
| Larvae, Pupae | U.S. | the Continental U.S. | | |
| Adult, Egg, | Educational Use Continental | Originally Collected from Within | | |
| Larvae, Pupae | U.S. | the Continental U.S. | | |
| Adult, Egg, | Educational Use Continental | Originally Collected from Within | | |
| Larvae, Pupae | U.S. | the Continental U.S. | | |
| Adult, Egg, | Educational Use Continental | Originally Collected from Within | | |
| Larvae, Pupae | U.S. | the Continental U.S. | | |
| | Adult, Egg, Larvae, Pupae Adult, Egg, Larvae, Pupae Adult, Egg, Larvae, Pupae Adult, Egg, Larvae, Pupae Adult, Egg, | Life Stage(s) Adult, Egg, Larvae, Pupae Adult, Egg, Educational Use Continental U.S. Educational Use Continental | Life Stage(s) Adult, Egg, Larvae, Pupae Adult, Egg, Educational Use Continental Larvae, Pupae Adult, Egg, Adult, Egg, Adult, Egg, Educational Use Continental Larvae, Pupae Adult, Egg, Adult, Egg, Adult, Egg, Educational Use Continental Coriginally Collected from Within the Continental U.S. Originally Collected from Within the Continental U.S. Originally Collected | |

| Wayne Wehling | 08/20/2020 |
|---|------------|
| payou It plakeling | |
| PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | |
| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING | DATE |



| | Amblycheila | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
|---|------------------------------|------------------------------|----------------------------------|---|
| | cylindriformis | Larvae, Pupae | U.S. | the Continental U.S. |
| | Amblycorypha oblongifolia | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| | Ampulex compressa | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | | Larvae, Pupae | U.S. | the Continental U.S. |
| | Antheraea polyphemus | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| ١ | Anthia thoracica | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | Anuna moracica | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Archispirostreptus gigas | · • | Educational Use Continental | Originally Collected from Within |
| ١ | Arcinspirostreptus gigas | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Asbolus verrucosa | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | Asooius verrucosa | Larvae, Pupae | U.S. | the Continental U.S. |
| | Atta cephalotes | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | rtta cephalotes | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Atta mexicana | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | Atta mexicana | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Atta texana | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | τια τελαπα | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Attacus atlas | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | rituo us urius | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Battus philenor | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | Danies piniones | Larvae, Pupae | U.S. | the Continental U.S. |
| | Blaberus atropos | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | Biaocias airopos | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Blaberus colloseus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | 2140 2140 201100240 | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Blaberus fuscus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Blaberus parabolicus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | 1 | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Boisea rubrolineata | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | | Larvae, Pupae | U.S. | the Continental U.S. |
| | Caligo memnon | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Callosamia promethea | | Educational Use Continental | Originally Collected from Within |
| ١ | • | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Camponotus festinatus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Camponotus laevegatus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | | Larvae, Pupae | U.S. | the Continental U.S. |
| | Chalcosoma caucasus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | | Larvae, Pupae | U.S. | the Continental U.S. |
| ١ | Chlorochroa sayi | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| ١ | | Larvae, Pupae | U.S. | the Continental U.S. |
| | Choeradodis | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | rhombicollis | Larvae, Pupae | U.S. | the Continental U.S. |
| | Chrysina (Plusiotis) | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | gloriosa | Larvae, Pupae | U.S. | the Continental U.S. |
| | Chrysolina | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | quadrigemina | Larvae, Pupae | U.S. | the Continental U.S. |
| | Clepsydronotus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| 1 | deciduus | Larvae, Pupae | U.S. | the Continental U.S. |
| | | | | |

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|--|------------|
| Nayme IT Midding | |
| Wayne Wehling | 08/20/2020 |



| Copiphora rhinoceros | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
|------------------------|---|---------------------------------------|--|
| Cotinis texana | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Cotinus mutabilis | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Creobroter pictipennis | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Creoxylus spinosus | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Cryptocercus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| punctulatus | Larvae, Pupae | U.S. | the Continental U.S. |
| Cryptoglossa | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| verrocosus | Larvae, Pupae | U.S. | the Continental U.S. |
| Danaus plexippus | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Dendrobias | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| mandibularis | Larvae, Pupae | U.S. | the Continental U.S. |
| Deroplatys dessicata | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Deroplatys truncata | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Diapheromera | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| arizonensis | Larvae, Pupae | U.S. | the Continental U.S. |
| Diploptera punctata | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| Dipropiera panetata | Larvae, Pupae | U.S. | the Continental U.S. |
| Dynastes granti | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Dynastes tityus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| T-14 | Larvae, Pupae | U.S. | the Continental U.S. |
| Eleodes armata | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Eleodes hispilabris | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| F1 1 1 | Larvae, Pupae | U.S. | the Continental U.S. |
| Eleodes obscura | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Embaphion muricatum | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Ergates spiculatus | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Estigmene acrea | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| Estigment dered | Larvae, Pupae | U.S. | the Continental U.S. |
| Eudicella gralli | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Eumegaladon | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| blanchardi | Larvae, Pupae | U.S. | the Continental U.S. |
| Euphydryas chalcedona | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| Eurycantha calcarata | Larvae, Pupae Adult, Egg, Larvae, Pupae | U.S. Educational Use Continental U.S. | the Continental U.S. Originally Collected from Within the Continental U.S. |
| Eurycotis dicipiens | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Extatosoma tiaratum | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| • | • | | |

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|--|------------|
| Noyae A Kidding | |
| Wayne Wehling | 08/20/2020 |



| loga ea | 4.1.1. B | D1 | |
|------------------------|------------------------------|----------------------------------|---|
| Goliathus goliathus | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Gongylus gongyloides | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Gromphadorhina | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| grandidieri | Larvae, Pupae | U.S. | the Continental U.S. |
| Halisidota maculata | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Heliconius charitonius | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Heliconius erato | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Heliconius melpomene | | Educational Use Continental | Originally Collected from Within |
| *** | Larvae, Pupae | U.S. | the Continental U.S. |
| Heterochaeta strachani | | Educational Use Continental | Originally Collected from Within |
| 111 4 4 111 4 4 | Larvae, Pupae | U.S. | the Continental U.S. |
| Heteropteryx dilatata | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| II: 41 | Larvae, Pupae | U.S. | the Continental U.S. |
| Hierodula membracena | | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Hierodula stalii | Larvae, Pupae Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| Therodula stain | Larvae, Pupae | U.S. | the Continental U.S. |
| Hyalophora cecropia | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| тушорнога сесторіа | Larvae, Pupae | U.S. | the Continental U.S. |
| Hyalophora euryalis | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| Try arophora cary and | Larvae, Pupae | U.S. | the Continental U.S. |
| Hymenopus coronatus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Iridomyrmex humulis | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Junonia coenia | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Leptoglossus zonatus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Lirometopum | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| coronatum | Larvae, Pupae | U.S. | the Continental U.S. |
| Malacosoma | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| californicum | Larvae, Pupae | U.S. | the Continental U.S. |
| Manduca sexta | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| M4: | Larvae, Pupae | U.S. | the Continental U.S. |
| Manticora congoensis | Adult, Egg, | Educational Use Continental U.S. | Originally Collected from Within |
| Montioono omiti | Larvae, Pupae | Educational Use Continental | the Continental U.S. Originally Collected from Within |
| Manticora gruti | Adult, Egg, Larvae, Pupae | U.S. | the Continental U.S. |
| Manticora heros | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| Wianticora neros | Larvae, Pupae | U.S. | the Continental U.S. |
| Manticora latipennis | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| Transferra tampeninis | Larvae, Pupae | U.S. | the Continental U.S. |
| Manticora tubercuata | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Megasoma elephus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Microcentrum | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| rhombifolium | Larvae, Pupae | U.S. | the Continental U.S. |
| | | | |

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|--|------------|
| Noyae It perhing | |
| Wayne Wehling | 08/20/2020 |



| Moneilema gigas | Adult, Egg, | Educational Use Continental U.S. | Originally Collected from Within |
|-------------------------|------------------------------|----------------------------------|---|
| Mormolyce phyllodes | Larvae, Pupae Adult, Egg, | Educational Use Continental | the Continental U.S. Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Morpho peleides | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Murgantia histrionica | Adult, Egg, Larvae, Pupae | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
| Myrmecocystus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| mexicanus | Larvae, Pupae | U.S. | the Continental U.S. |
| Neostylopyga | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| rhombifolia | Larvae, Pupae | U.S. | the Continental U.S. |
| Odontolabis bellicosus | | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Odontolabis delesserti | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Oncopeltus fasciatus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| 1 | Larvae, Pupae | U.S. | the Continental U.S. |
| Orxines macklotti | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Pachnoda peregrina | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| 1 0 | Larvae, Pupae | U.S. | the Continental U.S. |
| Pachysphinx modesta | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Panesthia augustipennis | | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Papilio rutulus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| • | Larvae, Pupae | U.S. | the Continental U.S. |
| Papilio zelicaon | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| _ | Larvae, Pupae | U.S. | the Continental U.S. |
| Parabacillus hesperus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| • | Larvae, Pupae | U.S. | the Continental U.S. |
| Parasphendale affinis | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| _ | Larvae, Pupae | U.S. | the Continental U.S. |
| Paratropes lycoides | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Pharnacia acanthopus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Phryganidia californica | | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Phyllium bioculatum | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Phyllium celebium | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Phyllium giganteum | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Phyllium scythe | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Phyllocrania paradoxa | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Platymeris biguttata | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| D1 | Larvae, Pupae | U.S. | the Continental U.S. |
| Platymeris rhadamantus | | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| | - | | |

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|--|------------|
| Noyae It perhing | |
| Wayne Wehling | 08/20/2020 |



| Pogonomyrmex | Adult, Egg, | Educational Use Continental U.S. | Originally Collected from Within the Continental U.S. |
|----------------------|-----------------|----------------------------------|---|
| barbatus | Larvae, Pupae | 0.01 | |
| Pogonomyrmex | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| californicus | Larvae, Pupae | U.S. | the Continental U.S. |
| Proculus goryi | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| n. 1 | Larvae, Pupae | U.S. | the Continental U.S. |
| Pterourus eurymedon | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| n 1 | Larvae, Pupae | U.S. | the Continental U.S. |
| Pycnoscelus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| surinamensis | Larvae, Pupae | U.S. | the Continental U.S. |
| Pyrophorus spp. | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Romalea guttata | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Saturnia pavonia | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Schultesia | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| lampyridiformes | Larvae, Pupae | U.S. | the Continental U.S. |
| Sipyloidea sipylus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Smerinthus cerisyi | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| · | Larvae, Pupae | U.S. | the Continental U.S. |
| Stenopelmatus fuscus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| 1 | Larvae, Pupae | U.S. | the Continental U.S. |
| Strategus aloeus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Taeniopoda eques | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Tetraopes basalis | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Thasus acutangulus | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Thasus gigas | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| 8-8 | Larvae, Pupae | U.S. | the Continental U.S. |
| Therea petiveriana | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| | Larvae, Pupae | U.S. | the Continental U.S. |
| Zootermopsis | Adult, Egg, | Educational Use Continental | Originally Collected from Within |
| angusticollis | Larvae, Pupae | U.S. | the Continental U.S. |
| angustionis | zar rae, r apae | 0.5. | are commented one. |

PERMIT GUIDANCE

1) This permit does not authorize movement or release into the environment of genetically engineered organisms produced with the regulated organisms described in this permit. Importation, interstate movement, and environmental release of genetically engineered plant pests require a different permit issued under regulations at 7 CFR part 340. Any unauthorized interstate movement or environmental release, including accidental release, of a regulated GE organism would be a violation of those regulations. Additional guidance and contact information for APHIS Biotechnology Regulatory Services, can be found at: https://www.aphis.usda.gov/aphis/ourfocus/biotechnology.

2) If an animal pathogen is identified in your shipment, to ensure appropriate safeguarding, please refer to http://www.aphis.usda.gov/import export/animals/animal import/animal imports an products.shtml

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|--|------------|
| Nague IT plekling | |
| Wayne Wehling | 08/20/2020 |



- 3) If a human pathogen is identified, please refer to the CDC Etiologic Agent Import Permit Program at http://www.cdc.gov/od/eaipp/
- 4) This permit DOES NOT fulfill the requirements of other federal or state regulatory authorities. Please contact the appropriate agencies, such as the U.S. Environmental Protection Agency, the U.S. Fish and Wildlife Service, the U.S. Food and Drug Administration, the Centers for Disease Control and Prevention, the APHIS Veterinary Services unit, the APHIS Biotechnology Regulatory Services, or your State's Department of Agriculture to ensure proper permitting.
- 5) If you are considering renewal of this permit, an application should be submitted at least 90 days prior to the expiration date of this permit to ensure continued coverage. Permits requiring containment facilities may take a longer period of time to process.

PERMIT CONDITIONS

USDA-APHIS issues this permit to Patrick Schlemmer, San Francisco Zoo, 1 Zoo Road, San Francisco, California. This permit authorizes the interstate movement of the listed regulated materials/organisms from the continental United States to the address above (in the APHIS approved facility 286).

- 1. This permit is issued by the United States Department of Agriculture's Animal and Plant Health Inspection Service (APHIS). It conveys APHIS regulations and requirements for the material(s) listed on this permit. It does not reduce or eliminate your legal duty and responsibility to comply with all other applicable Federal and State regulatory requirements.
 - The permit number or a copy of the permit must accompany the shipment.
 - You must be an individual at least 18 years old, or legal entity such as partnership, corporation, association, or joint venture.
 - You are legally responsible for complying with all permit requirements and permit conditions.
 - If you violate any applicable laws associated with this permit, you may face substantial civil or criminal penalties. We may cancel all current permits and deny future permit applications.
 - Without prior notice and during reasonable hours, authorized Federal and State Regulators must be allowed to inspect the conditions associated with the regulated materials/organisms authorized under this permit.

2. The permit holder must:

• maintain a valid PPQ526 permit so long as the regulated materials/organisms are alive or viable,

| Wayne Wehling | 08/20/2020 |
|---|------------|
| Wayne It Midding | |
| PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | |
| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING | DATE |



- not assign or transfer this permit to other persons without APHIS PPQ authorization,
- maintain an official permanent work assignment, residence, or affiliation at the address on this permit,
- notify the Pest Permit Staff as soon as possible of any change in the permit holder's work assignment, residence, or affiliation,
- notify the Pest Permit Staff of the receipt of unauthorized and/or misdirected shipments of regulated materials/organisms,
- adequately mitigate environmental impacts resulting from unauthorized release of regulated materials/organisms and notify the Pest Permit staff immediately if one occurs,
- notify the Pest Permit Staff if the facility is damaged/destroyed or if you wish to decommission the facility,
- destroy all regulated materials/organisms prior to departure from the organization unless other arrangements are confirmed by the Pest Permit Staff.
- Notifications to the Pest Permit Staff must be made via 866-524-5421 or pest.permits@usda.gov within one business day of the event triggering a notification.
- 3. All persons working with the listed regulated materials/organisms must be informed of these permit conditions. Anyone working with these materials/organisms must agree to adhere to and sign/initial these conditions before beginning work. These signed conditions do not need to be submitted to USDA/APHIS but must be readily accessible and made available to Federal and State regulators upon request.
 - Note: these conditions may be copied and stored electronically for electronic signature and initialing provided that the permit number, authorized materials/organisms and life stages, release locations if applicable, and authorization statement all appear on the document with the permit number. Signing these conditions only indicates that the person working under this permit has read them; the permit holder is the sole responsible party under this permit.
- These regulated organisms may not be traded with other zoos or museums without valid permits by USDA APHIS PPQ. Possession of these organisms requires a permit.

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|--|------------|
| Wayne It Widding | |
| Wayne Wehling | 08/20/2020 |



- 5. This permit is only for public display, NOT FIELD RELEASE. Safeguards must be in place in the display facility to completely remove the possibility of release into the environment of these plant pests.
- 6. Dead specimens can be retained and used for study, exhibit, and redistribution. Dead specimens must be frozen at -4C for ten days, -29C for three days, or immersed in an appropriate fixative e.g. 70 percent ethanol, Kahles solution, RNA-later.
- 7. MOBIL EXHIBIT/ OUTREACH / OFF-SITE
 - a. The following species are approved for off-site use provided conditions b-g are fully met.
 - b. All persons working with these organisms must be under the supervision of the permittee.
 - c. All specimens must remain in the direct control of the staff touring with the insects. The responsible staff member must be trained regarding USDA containment concerns for these organisms.
 - d. No more than 10 specimens of each species may be traveling away from the containment facility. No eggs. No immature specimens -adults only. Substrate must be kept to a minimum.
 - e. All organic materials (substrate, waste, etc.) and specimens associated with the traveling exhibit must be kept in the containment facilities at the permitted location when not in service.
 - f. Display cages transported away from the permitted facility must be kept within a larger container sufficiently strong to remain intact in the event of a vehicle accident.
 - g. All organisms must be maintained in escape-proof and tamper resistant cages (e.g. aquaria, terraria, etc.) at all times while traveling. The off-site location may be inspected at any time by USDA APHIS PPQ and/or State personnel to verify that adequate physical and operational characteristics exist to contain the organisms.
- 8. With the exception of Hymenoptera and Isoptera species that may be included on this permit, cultures are not to exceed 200 reproductively mature specimens per species.
- 9. This permit authorizes these regulated organisms to be held only in the identified containment facility, room, and/or cages that have been inspected. Any other location at this address must be approved prior to use. This permit does not authorize regulated organisms to be move to other locations on the grounds or off-site for outreach or classroom education except as noted in the following condition.

THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING
PPQ HEADQUARTER OFFICIAL VIA EPERMITS.

| Mayne Wehling | 08/20/2020



10. Standard Operating Procedures (SOPs) must be filed with, and approved by, the APHIS PPQ Pest Permit Staff at: email: pest.permits@usda.gov; phone: 866-524-5421; fax: 301-734-8700; address: 4700 River Road, Unit 133, Riverdale, MD 20737. All contact information must be kept current and the SOPs must be dated. If requirements in the permit conditions are more restrictive than the SOPs, permit conditions take precedence. APHIS PPQ must approve any changes to the SOPs before implementation.

A list of all persons with access to the containment facility must be maintained and available upon request by Federal or State Regulatory Officials.

All persons working with the regulated material/organism(s) must be trained on, and implement the permit conditions, and all APHIS approved SOPs governing the facility listed above.

- 11. Modifications to the containment facility or any changes that affect the containment of the regulated materials/organisms must be approved by APHIS prior to making changes. Please contact the Pest Permit Staff (email: pest.permits@usda.gov; phone: 866-524-5421; address: 4700 River Rd., Unit 133, Riverdale, MD 20737; Fax: 301-734-8700).
- 12. There is to be no further movement or distribution of the listed regulated materials/organisms within the United States and its territories unless the recipient holds, or is named as a responsible party on a valid PPQ526 permit for receipt of such materials/organisms.
- 13. Every January through the duration of this permit, the applicant must submit an inventory for the previous year of the number of each species received from each source. The condition (e.g., healthy, diseased, parasitized, etc.) of pupae received must also be listed. Submit to: APHIS PPQ Pest Permit Staff at: email: pest.permits@usda.gov; phone: 866-524-54214700; fax: 301-734-8700; address: River Road, Unit 133, Riverdale, MD 20737. Provide permit number and permit holder's name in the subject line.

14. DEVITALIZATION AND WASTE DISPOSAL

All regulated materials/organisms and all items coming in direct contact or exposed to the regulated materials/organisms must be sterilized/sanitized/decontaminated prior to removal from the authorized containment facility. This includes all items from shipping, culturing, care, and maintenance of these regulated materials/organisms. This requirement includes but is not necessarily limited to: packaging directly exposed to the regulated materials/organisms, substrates (culture media, soil, plant materials (food materials or host plants)), leftover/unused/unneeded live cultures, and dead specimens/cultures unless specified otherwise in the permit.

Prior to disposal or reuse, you must treat all contaminated and all potentially contaminated materials by one of the following methods, either alone or in combination: 1) autoclaved (see protocol below), 2) disposed of off-site by a facility holding a valid PPQ compliance agreement (organisms and/or contaminated waste must be stored in sealed containers prior to pick up by this company) or, 3) incinerated. If these three options are not available waste may be treated using

THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING
PPQ HEADQUARTER OFFICIAL VIA EPERMITS.

| Major # Medding | 08/20/2020



one of the following: 4) frozen at minus 29 Celsius (minus 20 Fahrenheit) for 72 hours (Note: this is colder than a conventional refrigerator/freezer), 5) immersed in a minimum of a final concentration of 0.525 percent sodium hypochlorite (1 part fresh household bleach to 9 parts water) for at least 20 minutes, or 6) immersed in 70 percent alcohol for at least 30 minutes. Treated waste will be double bagged prior to disposal.

Other sterilization methods are only allowed with prior written agreement from the USDA/APHIS PPQ Pest Permit Staff.

If using an autoclave the following protocol must be used:

- a. Waste must be autoclaved at 121 Celsius (250 Fahrenheit) for a minimum of 30 minutes at 15 psi.
- b. Autoclave tape or other indicators must be placed on each load prior to treatment. The autoclave tape or other indicator on each container must be checked to verify color change before disposal. c. The autoclave must be calibrated according to the manufacturer's instructions annually and a commercially available biological indicator kit that uses bacterial spores of Geobacillus

stearothermophilus that are rendered unviable at 121 Celsius (250 Fahrenheit) must be used every three months.

OR

The autoclave must be calibrated according to the manufacturer's instructions every two years and a commercially available biological indicator kit that uses bacterial spores of Geobacillus stearothermophilus that are rendered unviable at 121 Celsius (250 Fahrenheit) must be used every two weeks.

- d. A written record of the calibration and the biological indicator tests must be maintained. You must follow the manufacturer's instructions for the Geobacillus sterothermophilus and if any growth is observed, you must have the autoclave serviced and retested before it is used again for the regulated articles/organisms listed on this permit.
- 15. REQUIREMENTS FOR COCOON/CHRYSALIS (PUPAE) EMERGENCE CAGE (CABINET) In addition to the risks posed by environmental release of these Lepidoptera, the greatest risks from the movement of chrysalids/pupae are disease transmission and the parasitic Hymenoptera (small wasps) and/or Diptera (flies) that often emerge from the pupae. These parasites could impact native Lepidoptera.

To prevent the release of these parasitoids and diseases to the environment it is required that all pupae be emerged in a closed cage/cabinet that will prevent minute parasitic Hymenoptera or Diptera from escaping and will allow for their destruction.

The requirements are as follows:

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|--|------------|
| Noyme IT Midding | |
| Wayne Wehling | 08/20/2020 |



Ventilation openings in the cage/cabinet must be covered with 60 mesh screen or finer (60 divisions per linear inch in each direction of wire or thread that comprises the mesh) made from materials resistant to UV light degradation (ie. metallic or polymer mesh).

The cage can be constructed of polymer materials (e.g. Acrylic, Plexiglass, Lexan) or other synthetic water-proof materials. Wood is not suitable unless coated with cleanable waterproof coatings. Cage/cabinet surfaces should be constructed of materials that can be readily cleaned/sanitized.

All surfaces must be a monochromatic light color so that parasitoids can be easily seen. There should be no hiding places for parasitoids in the material used to suspend the pupae. Parasitoids will go to the top and to the corners of the cabinet or toward a light source.

The access door must latch and seal tightly.

Interior surfaces must be visually examined for parasitoids prior to opening cages/cabinets, and if detected parasitoids should be removed. This can be done by touching the parasitoids with aspirators, tissues, paint brushes dipped in alcohol or soapy water.

The cabinet must be cleaned on a regularly scheduled basis to reduce the spread of microbial diseases. Cleaning must be done weekly when the cabinet is in regular use.

The emergence cabinet must not open directly into the exhibit area.

16. 1) The permit holder is responsible for arranging continuous staffing by trained designated representative(s) at all entry and exit doors to prevent (a) theft of specimens, (b) the unauthorized entry or exit of people and transported articles, and (c) hitch-hiking butterflies and moths (live regulated organisms perched on people, clothing, and other transported articles) from exiting the display area during all hours that the facility is held open to the public. This scheduling must provide adequate coverage during break and mealtimes. Representatives should be rotated on a schedule that ensures a high level of alertness. Butterfly nets must be kept in or near the entry and exit vestibules.

The display area of the facility must be closed to the public when responsible representatives are not available. Inspection requirements must be met for all "special" and after-close-of-business events such as parties, weddings, receptions, etc.

The permit holder must provide the necessary equipment to allow representatives to (a) conduct thorough visual examinations of people and transported articles, and (b) collect and return any found live regulated organisms.

Permit Number P526P-20-03529

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|--|------------|
| Noyme IT Midding | |
| Wayne Wehling | 08/20/2020 |

WARNING: Any alteration, forgery or unauthorized use of this Federal Form is subject to civil penalties of up to \$250,000 (7 U.S.C.s 7734(b)) or punishable by a fine of not more than \$10,000, or imprisonment of not more than 5 years, or both (18 U.S.C.s 1001)



2) Trained designated representatives must be (a) authorized to inspect all persons entering and exiting the facility, (b) authorized to inspect all articles transported into and through the facility, (c) authorized to prevent unauthorized entry or exit of people, (d) trained to recognize theft of live regulated organisms, and (e) trained in proper livestock handling and recovery. Transported articles include, but are not limited to, wheel chairs, strollers, backpacks, purses, jackets, coats, hats, and umbrellas.

Representatives must closely examine (visually) all people and items exposed to free-flying Lepidoptera to determine if they are infested with hitch-hiking live regulated organisms prior to allowing egress from the vestibule. Representatives must be convinced that hitch-hiking Lepidoptera are not present on people and transported articles prior to authorizing egress. This includes asking people to turn around for a full visual inspection, proper use of mirrors, and asking articles to be displayed on all sides. The permit holder is responsible for ensuring all inspections are conducted thoroughly and do not violate civil rights.

- 3) Failure to meet requirements for the inspection of people and transported articles at any time is grounds for immediate closure of the facility, revocation of this permit, and civil and criminal penalties to the fullest extent of the law.
- 17. The permit holder may only receive exotic organisms from individuals or organizations that also hold a valid USDA permit for receipt and/or possession.
- 18. If domestic Lepidoptera are commingled with imported Lepidoptera the domestic Lepidoptera must fully comply with all permit conditions of the valid import permit.
- 19. Reproduction of exotic Lepidoptera is not allowed in the free flight area of the exhibit except as follows: Lepidoptera may be bred in cages within the flight area, or on the premises, when the cages have been approved for specific construction materials and placement during a facility evaluation performed by a PPQ Officer, the cage(s) must seal completely, be covered with 60 mesh screen or glazing, if the cage(s) is accessible to the public it must be locked, the cage(s), the Lepidoptera involved, and the rearing protocol must be detailed in the SOPs and filed with PPQ Headquarters.
- 20. Host plants for exotic Lepidoptera are not permitted as part of the landscaping in the free flight area of the exhibit.
- 21. The covering over the containment facility must be evaluated weekly for damage of any kind. It must also be examined following any storm. Repair materials must be present at the facility. It is possible for rats to chew through stainless steel
- 22. REQUIREMENTS FOR CLOSING DOWN THE EXHIBIT

At the close of the exhibit, all plants and Lepidoptera must be disposed of properly. Contact APHIS PPQ Pest Permit Evaluations if you want to redistribute any remaining Lepidoptera live regulated organisms. Permission can be provided to ship to another qualified butterfly house.

THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING
PPQ HEADQUARTER OFFICIAL VIA EPERMITS.

| Mayne Wehling | 08/20/2020

WARNING: Any alteration, forgery or unauthorized use of this Federal Form is subject to civil penalties of up to \$250,000 (7 U.S.C.s 7734(b)) or punishable by a fine of not more than \$10,000, or imprisonment of not more than 5 years, or both (18 U.S.C.s 1001)



Otherwise, Lepidoptera must be frozen at -20F for 72 hours prior to disposal. Plant materials kept in the flight house must be destroyed unless they can be kept/held in the butterfly flight area for 3 weeks following the last Lepidopteran flown. If plant materials (including pots and soil) need to be removed from the exhibit sooner than 3 weeks after the last Lepidopteran has flown then everything must be treated with an insecticide suitable for all life stages of Lepidoptera. Consult State Department of Agriculture officials for an approved / registered insecticide that will target all life stages in all these different locations. To accomplish this it may be necessary to apply more than one insecticide. After the appropriate reentry time all plants, pots, and soil must be inspected for lepidopteran life stages before removing from the exhibit area. If the plants must be moved to another location at the zoo following the insecticide application then the plants should be reinspected for Lepidoptera 3-4 weeks following application. Re-treat if necessary. If the plants can be held in the butterfly flight area for 3 weeks then the plants, soil surface, and pots must be carefully inspected for eggs, caterpillars, and pupae prior to removing from the evaluated containment facility.

END OF PERMIT CONDITIONS

| | Permit Number P526P-20-03529 |
|--|------------------------------|
| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
| Nagne It pleasing | |
| Wayne Wehling | 08/20/2020 |

WARNING: Any alteration, forgery or unauthorized use of this Federal Form is subject to civil penalties of up to \$250,000 (7 U.S.C.s 7734(b)) or punishable by a fine of not more than \$10,000, or imprisonment of not more than 5 years, or both (18 U.S.C.s 1001)